



Ref. ZD-TS-30-010123-01

Technical Data Sheet

<p>Main application Cleaning of all type of CP fittings, sanitaryware. It cleans and removes hard deposit of water film, salt deposit, soap and other stain. provide excellent shine to cleaned surface.</p>	<p>Zeoclean Dayna is an advance, powerful tap & sanitary cleaner for daily use. It is based on high quality advance formulation to clean the surface of CP fittings in chrome and other finishes, showers and sanitary which include basin, bath tub, seat covers etc. Suitable for all areas where CP fittings and sanitary are in use.</p>
---	--

Technical advantage of Zeoclean Dayna over traditional sanitary cleaner

- Does not affect the shine of CP fittings, tap or showers.
- Guaranteed cleaning of limescale deposit, hard water stain, soap stains & other mild stain form the sanitary surface.
- Easy to use and in ready spray pack for daily use.
- Best to use for daily maintenance in bathrooms and toilets.
- Fast reaction with grimed surface within 2 to 5 minutes. Based on thickness of deposits on CP fitting.
- Effective in removing all type of stain which are developed on CP fittings and sanitary over the period.
- Safe to hand and skin.

Suitable areas

- Internal & external facilities.
- Residential & commercial buildings.
- Gym. Spa and swimming pool changing areas.
- Commercial kitchens, Multiplex & shopping malls.
- Bathrooms, Toilets & shower.

Suitable surfaces

- CP Fittings in Chrome and Bronze or other finishes.
- Wash basin, Seat covers, Bath Tubs.
- Taps of all types in bathroom, kitchens and Toilet.

Product not to be used

- On wood, carpet surface.
- To remove Epoxy Grout haze / film from tile surface. (Use Zeoclean Max - Epoxy Film Remover.)

How to Use



Important tools for application:

- Hand Gloves, Sponge or cloth for spreading the product on surface.
- Scrubber pad or similar tools for scrubbing the dirty surface.
- Other cleaning tools such as bucket, wiping cloth. Brush etc.

Cleaning of tools:

- All the tools which are used for application can be clean with normal water and can be left for dry.

Surface Preparation

- The Tap or sanitary area which is to be cleaned, ensure that no other material or surface are exposed which are delicate (Wood, metal or carpet etc.) to strong solutions. The delicate expose surface can be masked or covered with plastic protection sheet or any other material.

Technical Data Sheet

Mixing:

- Shake the bottle / container well before using.
- Zeoclean Dayna Tap & sanitary Cleaner should be used pure only. Any dilution will result in compromise the final cleaning.
-

How to apply:

- Spray the solutions on affected area. Leave the solution on surface for two minute or more. Clean the surface with soft scrubber. Final clean with normal water.
- Repeat the application if stains are older and strongly bonded and have not been removed completely in first cleaning.

Product & Working Data

Product appearance	: Clear transparent liquid.
Packing	: 500 Ml. Spray bottle & 5 Kg. can.
Shelf life	: 24 months from the date of manufacturing in packed condition.
Dilution with Water	: Not to be diluted.
How much to apply	: Surface should be fully covered with cleaner.
Waiting time before cleaning	: 2 to 3 minutes before scrubbing. For daily use mopping with moist cloth is sufficient.
Use of the cleaned surface	: Immediately once it is dry.
Coverage	: Depends on surface area and application technique.
Application temperature	: + 5° C. to + 35° C.

Important instructions & precautions

- Keep away from eye & nose and don't inhale.
- Use safety gloves for prolong contact of cleaner with skin.
- Keep the lid tightly closed of bottle / container for unused / partially used product.
- In case of skin irritation or strong reaction, consult local doctor.
- In case the performance of Walnut products not as per technical data mentioned, please call Walnut technical helpline.

Walnut Green Building Index

Walnut range of products are most eco-friendly and suitable to use in all kind of buildings including certified green. Apart from using best of international raw material for best performance, Walnut procure the major raw material locally to safeguard environment.

Walnut Quality & Safety Assurance

Products supplied are safe to use by any worker at site. However proper tools and safety measures must be in place for prolong working. The gloves, safety glasses and other protection measure must be followed as per local regulation.



Data Technical Sheet

Declaration

All the above information and results are provided based on Walnut internal quality test. Customer must check before using the product about performance and final expected results. Walnut cannot be held responsible for any damage of whatsoever nature at site.

Technical Help

Walnut Building Solutions India Private Limited | CIN : U36999MH2017PTC289638

IJMIMA, 804, 8th floor, Behind Goregaon sports club, off link road, Malad West, Mumbai - 400064

Technical services & customer care: +91-22-49713322 / +91 9967007783 | email: info@wallnut.co.in