



Ref. ZM-MG-29-010123-01

Technical Data Sheet

<p>Main application Cleaning of all type of natural & artificial stone such as marble, granite, sandstone, Italian marble and similar. It cleans the surface of stone and removes the dirt stain completely and provide superior surface.</p>	<p>Zeoclean Marmo is very effective neutral Stone Cleaner for daily and often use. It is based on high quality formulation to clean the surface of delicate stone such as polished marble & granite or similar stone to remove the dirt, grime, soil stain, salt deposits & deposits & another particle completely.</p> <p>Suitable for internal & external areas on floor and on wall.</p>
--	---

Technical advantage of Zeoclean Marmo over traditional stone cleaner

- No damage of any kind to stone surface.
- Neutral pH hence not harmful to stone surface and to skin.
- Guaranteed cleaning of all dirt, grime, and residual from granite and marble surface.
- Doesnot affect the polish or gloss of stone surface.
- Easy to use in pure form for more stained stone surface.
- Best to use for daily maintenance on stone surface with dilution of water.
- Fast reaction with grime surface within 2 to 5 minutes when used pure.
- Very safe on sealed stone surfaces.
- Non-Corrosive, Low VOC (Low Organic Volatile Compound)

Suitable areas

- Residential & commercial buildings.
- Shopping malls, Multiplex, Showrooms & Bars.
- Marble Temple, mosque, Church & other religious places.
- Table Tops, Kitchen Platform.
- External Façade in stone.

Suitable surfaces

- All types of natural Marble & Granite stone.
- Sandstone, Slate & Travertine.
- Polished Italian & high-quality Marble.
- Natural Stone sealed with sealers.
- Re-engineered or agglomerated stone.
- High-quality glazed and polished tiles.

Product not to be used

- On steel & polished metal surfaces where surface shine may get affected.
- On wood, carpet surface.
- To remove Epoxy Grout haze / film from tile surface. (Use Zeoclean Max - Epoxy Film Remover.)

How to Use



Important tools for application:

- Hand Gloves, Sponge or cloth for spreading the product on surface.
- Scrubber pad or similar tools for rubbing the dirty surface.
- Other cleaning tools such as bucket, wiping cloth. Scrub machine for old floor etc.

Cleaning of tools:

- All the tools which are used for application can be clean with normal water and can be left for dry.

Surface Preparation

- The area which is to be cleaned ensure that no other material or surface are exposed which are delicate (Wood, metal or carpet etc.) to strong solutions. The delicate expose surface can be covered with plastic protection sheet or any other material.
- Any loose or excess dirt can be removed first from the floor in order to have fast reaction of product with strong bonded particle / stain directly and it helps in cleaning faster.

Technical Data Sheet

Mixing:

- Shake the bottle / container well before using.
- Zeoclean Marmo Cleaner can be used pure for dirtier / grime surfaces or corners where daily cleaning is not done effectively.
- For Daily maintenance of stone floor, it can be diluted with water. For half bucket 2 to 3 caps should be mixed for regular cleaning.

How to apply:

- If stone are dirty, spread the solutions on dirty surface directly with sponge or brush. The waiting period can be 1 to 5 minutes depends upon how strong the dirt / grime is bonded to surface. Soft scrub the surface and wipe with dry cloth.
- For daily use dilute the cleaner and just moping will be enough to have shiny surface.

Product & Working Data

Product appearance	: Clear transparent liquid.
Packing	: 1 Kg. bottle & 5 Kg. can.
Shelf life	: 12 months from the date of manufacturing in packed condition.
Dilution with Water	: Depends on dirt and stain deposited on surface.
How much to apply	: For grimed / stained surface, it should be fully saturated with cleaner. : For daily use, dilute with water (2-3 caps for half bucket) and mop the surface.
Waiting time before cleaning	: 1 to 5 minutes. For daily use mopping with moist cloth is sufficient.
Use of the cleaned surface	: Immediately once it is dry.
Coverage	: Depends on surface and application technique. Approx. 25 to 100 sft. / Lt.
Storage	: Ideal at room temperature.
Application temperature	: + 5° C. to + 35° C.

Important instructions & precautions

- Keep away from eye & nose and don't inhale.
- Use safety gloves for prolong contact of cleaner with skin.
- Keep the lid tightly closed of bottle / container for unused / partially used product.
- In case of skin irritation or strong reaction, consult local doctor.
- In case the performance of Walnut products not as per technical data mentioned, please call Walnut technical helpline.

Walnut Green Building Index

Walnut range of products are most eco-friendly and suitable to use in all kind of buildings including certified green. Apart from using best of international raw material for best performance, Walnut procure the major raw material locally to safeguard environment.

Technical Date Sheet

Walnut Quality & Safety Assurance

Products supplied are safe to use by any worker at site. However proper tools and safety measures must be in place for prolong working. The gloves, safety glasses and other protection measure must be followed as per local regulation.



Declaration

All the above information and results are provided based on Walnut internal quality test. Customer must check before using the product about performance and final expected results. Walnut cannot be held responsible for any damage of whatsoever nature at site.

Technical Help

Walnut Building Solutions India Private Limited | CIN : U36999MH2017PTC289638

IJMIMA, 804, 8th floor, Behind Goregaon sports club, off link road, Malad West, Mumbai – 400064

Technical services & customer care: +91-22-49713322 / +91 9967007783 | email: info@wallnut.co.in