

Wide range of
Tiles & Stone

Fixing Solutions

Pocket Brochure
2023

Wal|nUT[®]
create bonds, forever

Zeorich Series



Zeorich Wallputty

1

- Norms: **EN & HDB (Singapore)**
- Color: **White**
- Packaging: **40kg**



A Premium Product from Walnut

Zeorich Wall Putty which is eco-friendly, extra-fine, lightweight, non-water curing, high strength, water resistance, shrinkage less, mineral-based premium wall putty made from natural raw material to create smooth, glossy, and extreme white surfaces before any paint application on wall and ceiling. Zeorich Wall Putty also can be used as a final surface without any paint application in interior areas. Suitable for interior & exterior

Coverage

Approx. 20 to 22 sq. ft. / kg. / mm of thickness
(based on surface texture)

Thickness

Up to 3 mm. single coat



Zeorich SBR

2

Walnut[®]
Eco-Friendly SBR

Zeorich
SBR

- Color: **White Liquid**
- Packaging: **1Kg, 5Kg, 20Kg**

A Premium Product from Walnut

Walnut Zeorich SBR is a unique Eco-friendly polymer liquid based synthetic rubbers to provide excellent compressive & flexural strength, high adhesion to cement surfaces when used as slurry coat and also act as water resistant coating for wet areas. Suitable for internal and external.

Slurry bond coating	Approx. 27 to 30 sqft. / kg. of Zeorich SBR liquid
Waterproofing coating	Approx. 35 sqft. / kg. of Zeorich SBR liquid per
Primar bond coating	Approx. 15 to 20 sqft. / Kg. of Zeorich SBR liquid
Mixing Ratio as admix to concrete, mortar & screed	1:1 to 1:4 (Zeorich SBR: Water) based on strength needed



Zeorich Base

3

Wal^lnUT[®]
create bonds, forever

 Zeorich
BASE

- Norms: **EN**
- Color: **Grey**
- Packaging: **20kg**

A Premium Product from Walnut

Zeorich Base floor screed is Eco-friendly, light weight, non-water curing, quick drying, high strength, shrinkage-less, mineral based binder in powder form made from natural material to create stable base of screed before fixing of any kind of tiles, stone or other coverings such as carpet, wooden flooring, coatings etc. Suitable for internal & external.

Coverage

Approx. 22 sft. / 20 kg. bag for
25mm.thickness. (1:4 ratio)

Screed Thickness

25 to 80 mm.+



Zeorich Base HD

4

- Norms: **ASTM & IS**
- Color: **Grey & Other Dark**
- Packaging: **20kg**



A Premium Product from Wallnut

Zeorich Base HD concrete floor hardener is a eco-friendly, high strength, shrinkage less, non-metallic, mineral base material in powder form used for industrial & commercial floors to create heavy duty floor surface which is resistance to high abrasion, impact, hardness and also improve the compressive strength of final surface. Floors made with Zeorich Base HD are monolithic in nature once they are fully cured. Suitable for internal & external.

Coverage in
total two coats

2 to 3 kg. / M2 for light duty floors.
4 to 5 kg. / M2 for medium duty floors.
6 to 7 kg. / M2 for heavy duty floors.



Zeorich Basalt


5

- Norms: **IS**
- Color: **NA**
- Packaging: **40kg**



Zeorich Basalt sand is an Eco-friendly, natural, pure, recycled material in powder form, made from natural process by crushing best quality of basalt stone used in buildings as aggregates. During crushing, Walnut selects the desire size of fine particle mix from 0-6 mm. for best results. Zeorich Basalt must be mixed with Zeorich Base binder to create stable screed before fixing of any kind of tiles, stone or other covering such as carpet, wooden flooring, coating etc.

Particle size	Under 0 to 6 mm.
Bulk density	> 1500 kg. / M3
Silt content	As per IS standard
Coverage	Approx. 1.75 to 2 Kg. / sft. for 10mm. of screed thickness.



Wal|nut[®]
create bonds, forever



ZEOSEAL
WATERPROOFING

Series



Zeoseal Porous

6

- Color: **Transparent Liquid**
- Packaging: **1Lt., 5Lt.**



Walnut Zeoseal Porous is a unique Eco-friendly (very low VOC) water-raw material to provide excellent resistance & ingress against water, water stain, rising dampness in brick & efflorescence when used either as a primer on the back side of absorbent tiles or stone before fixing or as a sealer coat over absorbent granite or marble or on cement-based surfaces such as concrete, plaster, brick etc. Zeoseal Porous is ready to use and when applied, it creates water drop effects and is most suitable for products such as clay tiles, terracotta floor tiles, sandstone, absorbent granite or gypsum-based surface.

Coverage

**Approx. 100 to 125 sft. / Lt. per coat
or more as back coat sealer**

Mixing

No Mixing or Dilution



Calcibond Series



- Norms: **EN R 2T**
- Color: **White**
- Packaging: **4kg**



A Premium Product from Walnut

Calcibond Ultima adhesive is a unique Eco-friendly, very high flexible, (elongation upto 30 mm), two-part POLYURETHANE system based on high quality minerals for doing work on flexible surfaces such as metal, wood, dry-wall, external facade and areas under heavy vibration such as airport & metro station including heavy duty Industrial floor. Suitable to fix all type of Ceramic & Vitrified slab, Natural & Agglomerated stone slab & all kind of mosaic made in ceramic, glass, wood & metal. Suitable for internal & external.

Coverage

Approx. 10 sft. / kg. using 1 mm. thick.

Adhesive thickness

Minimum 1.5 mm.





- Norms: **EN C2 TE S1**
- Color: **White, Grey**
- Packaging: **20kg**

A Premium Product from Walnut

Calcibond Advance adhesive is a unique Eco-friendly, very high polymer modified, very high flexible & deformable upto 2.5 mm., light weight, based on high quality mineral, ready to use powder material used for fixing all kind of large size Ceramic & Vitrified tiles, stable Natural Stone, Slim tiles slab on facade, heavy duty areas including commercial & industrial uses. Suitable for internal & external.

Coverage

Approx. 110 sft. / 20 kg. bag using 1.5 mm. thick.

Adhesive thickness

1.5 to 15 mm.



- Norms: **EN C2 TE**
- Color: **White, Grey**
- Packaging: **20kg**



A Premium Product from Walnut

Calcibond Flex adhesive is an Eco friendly, high polymer modified, flexible, light weight, based on high quality mineral, ready to use powder material used for fixing of all kind of Ceramic & Vitrified tiles, stable marble & glass mosaic in swimming pool. Suitable for internal & external.

Coverage

Approx. 75 sft. / 20 kg. bag using 2 mm. thick

Adhesive thickness

2 to 15 mm.



Calcibond Secure

10

- Norms: **EN C2 TE**
- Color: **White, Grey**
- Packaging: **20kg, 40kg**



Calcibond Secure adhesive is an Eco friendly, high polymer modified, light weight, based on high quality mineral, ready to use powder material used for fixing of all kind of Ceramic & Vitrified tiles and stable natural stone. Suitable for internal & external.

Coverage	Approx. 75 sft. / 20 kg. bag using 2 mm. thick.
Adhesive thickness	2 to 15 mm.






- Norms: **EN C1 TE**
- Color: **White, Grey**
- Packaging: **20kg, 40kg**

A Premium Product from Wallnut

Calcibond Smart Plus is an Eco friendly, high polymer modified, lightweight, based on high-quality minerals, ready to use adhesive for fixing vitrified tiles in the interior, and all types of absorbent ceramic, porcelain, glazed and other tiles in the interior & exterior.

Coverage	Approx. 60 sft. / 20 kg. bag using 3 mm. thick.
Adhesive thickness	3 to 10 mm.



Calcibond Smart

12

Wal^lnut[®]
create bonds, forever

Calcibond
SMART

- Norms: **C1 TE**
- Color: **White, Grey**
- Packaging: **20kg, 40kg**

Calcibond Smart adhesive is an Eco friendly, polymer modified, light weight, based on high quality mineral, ready to use powder material used for fixing of all kind of absorbent ceramic, porcelain, glazed tiles & ceramic mosaic. Suitable for internal & external.

Coverage

Approx. 60 sft. / 20 kg. bag using 3 mm. thick.

Adhesive thickness

3 to 10 mm.



- Norms: **EN**
- Color: **White Liquid**
- Packaging: **1Kg, 5Kg, 20Kg**



A Premium Product from Walnut

It is a unique Eco-friendly polymer liquid flexible agent to provide excellent adhesion properties to calcibond adhesives. It can be added to Calcibond cement based adhesive as replacement of water when tiles or stone to be fixed in conditions such as high-rise building, seismic zone, vibration in surface, industrial application, public places such as airport, railway station, areas under extreme heat or expose to direct sunlight and for underwater application. Suitable for internal and external.

Mixing Ratio

Approx. 5 kilogram latex for any 20 kg calcibond adhesive

Coverage

According to adhesive thickness



Walnut[®]
create bonds, forever

⚡ Connect&Lock Series



- Norms: **EN RG**
- Color: **Premium 23 colors**
- Packaging: **1Kg, 4Kg**



A Premium Product from Wallnut

Connect & Lock advanced technology Metapoxy Grout is consisting of high-quality transparent glass beads, eco-friendly resin & hardeners and high-quality stable color pigment. The grout provides excellent workability and ease of work for the DIY jobs and high-quality joints between tiles & stone. The joints are high chemical, stain & abrasion resistance. Connect & Lock Epoxy Grout doesn't allow water to go through and can be used for filling the tile & stone joints up to 15mm on the floor & on the wall.

Filling of Joints

Upto 15 mm

Coverage

According to tile size & joint size (Refer Coverage Chart)



- Norms: **EN RG**
- Color: **Gold, Silver, Copper**
- Packaging: **1Kg, 4Kg**



A Premium Product from Walnut

Walnut Connect & Lock advance technology Luster Grout is consisting of high-quality transparent glass beads, eco-friendly resin & hardener & extra shiny premium hexagonal glitter beads. The grout provides excellent workability and ease of work for the DIY job and high-quality shining in gold, silver & copper shades between tiles & stone joints. Connect & Lock Luster Grout doesn't allow water to go through and can be used for filling the tile & stone joints up to 10 mm on floors & on walls. Best for interior use. External under shade.

Filling of Joints

Upto 10 mm

Coverage

According to tile size & joint size (Refer Chart)



Connect & Lock Crystal Grout

16

- Norms: **EN RG**
- Color: **Transparent**
- Packaging: **4kg**



A Premium Product from Wallnut

Connect & Lock Crystal grout is consist of high quality transparent glass crystal, eco-friendly resin & hardener. The grout provide excellent high quality transparent joint between multicolour mosaic tiles & stone. The joints provide monolithic colour surface of mosaic tiles & stone. Crystal grout also resistance to chemical, stain & abrasion and does not allow water to go through and can be used as adhesive upto 3 mm. and for filling the tile & stone joint upto 10 mm. on floor & wall. Suitable for internal.

Coverage

Depends on tile size & width of joint. (Refer coverage chart)

Filling of joint

Upto 10 mm.

Using as adhesive

Upto 3 mm.



Connect & Lock Epoxy Grout

17

Wallnut®
create bonds, forever

⊕ Connect & Lock
Epoxy Grout

- Norms: **EN RG**
- Color: **Premium 23 colors**
- Packaging: **1kg, 4.5kg**

A Premium Product from Wallnut

Connect & Lock Epoxy Grout is consist of high quality colour quartz, eco-friendly resin & hardener. The grout provide excellent high quality joints between tiles & stone. The joints are high chemical, stain & abrasion resistance. Connect & Lock Epoxy Grout does not allow water to go through and can be used for filling the tile & stone joints upto 15mm on floor & on wall.

Coverage

Depends on tile size & width of joint. (Refer coverage chart)

Filling of joint

Upto 15 mm.



Connect & Lock Jewels

18

- Norms: **NA**
- Color: **Gold, Silver, Copper**
- Packaging: **100grm**



A Premium Product from Walnut

Connect & Lock Jewels is a eco-friendly, high quality, durable, chemical resistance glitter powder based on Polyster Resin to use along with Connect & Lock Epoxy Grout & Crystal Grout. The mix product provide very high shining grout surface in Gold, Silver & Copper shade. Suitable for internal.

Coverage

**Depends on tile size & width of joint.
(Refer coverage chart)**

Mixing Ratio

**Approx. 1% or more by weight
for C&L Crystal Grout.**

Mixing Ratio

**~ 3% or more by weight for
C&L Epoxy grout & Metapoxy.**



Colors:




GOLD



SILVER



COPPER



Connect & Lock Lite Grout

19

Walnut®
create bonds, forever

⚡ Connect&Lock
LITE GROUT

- Norms: **EN CG**
- Color: **Premium 23 colors**
- Packaging: **1kg, 10kg**



Connect & Lock Lite grout is an Eco-friendly, single component, polymer modified, very fine & smooth, water & abrasion resistance, based on high quality mineral, ready to use powder material used for filling the joints of tiles & stone upto 3mm. Suitable for internal & external.

Coverage

Depends on tile size & width of joint. (Refer coverage chart)

Filling of joint

Upto 3 mm.



Connect & Lock Stucco Grout

20

Wal^{nut}[®]
create bonds, forever

≠ Connect & Lock
STUCCO GROUT

- Norms: **EN CG**
- Color: **Premium 12 colors**
- Packaging: **10kg**

Connect & Lock Stucco grout is an Eco-friendly, single component, polymer modified, high abrasion resistance, based on high quality mineral, ready to use powder material used for filling the joints of tiles & stone upto 12mm. Suitable for internal & external.

Coverage

Depends on tile size & width of joint. (Refer coverage chart)

Filling of joint

Upto 12 mm.



Connect & Lock Grout Admix

21

- Color: **White Liquid**
- Packaging: **100g, 200g, 400g
1Kg, 5Kg**



A Premium Product from Wallnut

Wallnut Grout admix is a unique Eco-friendly polymer liquid, based on high quality latex to provide excellent compressive & flexural strength, water & stain resistance and colour stability to cement based grouts. It can be mixed with Lite & Stucco grout as replacement of water when grouting to be done in demanding condition such as bathrooms, industrial floors or open areas. It can be applied up to 12 mm. wide joints or more based upon mixed with Lite or Stucco grout.

Mixing Ratio

**Approx. 400 Grm. for 1 Kg. Lite Grout & 275
Grm. for 1 Kg. Stucco Grout**

Coverage

**According to tile size & joint
size (Refer Chart)**



HIGH
PERFORMANCE




WATER
RESISTANT



LOW VOC
LESS POLLUTION



ABRASION
RESISTANCE






COLORLESS

WHITE SHADE



PURE WHITE

IVORY SHADE



CREAM

LITE IVORY

REAL IVORY

PINK SHADE



REAL PINK

MUSHROOM

GREY SHADE



CLINKER GREY



CEMENT GREY




METAL GREY



SLATE STONE


YELLOW SHADE



CAMEL

YELLOW JAISALMER

RED SHADE



BRICK RED

TERRACOTTA

BROWN SHADE



WALNUT



COCOA


BLACK SHADE



CHARCOAL

REAL BLACK

BLUE SHADE



LITE BLUE

MARINE BLUE

REAL BLUE

GREEN SHADE



PISTACHIO

OLIVE

C&L LUSTER SHADES



GOLD



COPPER



SILVER

GROUT SHADES

All the above shades are indicative, for actual shades & reaction with absorbent tiles or stone, please verify at site.



Lite Grout



Stucco Grout



C&L Epoxy Grout



C&L Crystal Grout

Coverage's of Connect & Lock grouts (Epoxy grout, Crystal grout, Lite grout & Stucco grout.)						For Indication Purpose Only, Refer data sheet for more detail		
Tile size in mm. (W x L x T)	Joint width in mm							
	1	2	3	4	5	6	8	10
20x20x3 Mosaic	23	11						
50x50x3 Mosaic	56	28						
100*100*4	85	42	28	21	17	14	10	8
100*100*9	37	18	12	10	7	6	5	4
100*150*4	100	50	35	25	20	17	12	10
200*300*4	200	100	70	50	40	35	25	20
300*300*5	200	100	70	50	45	35	25	20
300*450*6	200	100	70	50	45	35	25	20
450*450*8	190	95	65	48	37	30	23	20
600*450*8	220	110	75	55	45	35	27	20
600*600*8	255	125	85	65	50	40	30	25
900*900*11	275	140	90	70	55	45	35	25

Lite Series



- Norms: **IS Standard (Type 1)**
- Color: **Grey**
- Packaging: **20kg, 40kg**



Wallnut Lite Tile adhesive is an Eco friendly, light weight, polymer modified, mineral based ready to use powder material used for fixing lite size absorbent ceramic tiles in internal area for renovation as well as fresh work. Lite Tile adhesive is designed for doing small work with speed and ease. Suitable for internal only.

Coverage

Approx. 60 sft. / 20 kg. bag using 3 mm. thick.

Adhesive thickness

3 to 6 mm



Walnut®
create bonds, forever

Lite
FLOOR

- Norms: **EN C2**
- Color: **White, Grey**
- Packaging: **20kg**

Walnut Lite Floor slurry adhesive is an Eco friendly, high strength, high polymer modified, light weight, mineral based ready to use powder material used on fresh bedding floor for fixing of all kind Ceramic & Vitrified Tiles and Indian stone, which are not sensitive to moisture. Suitable for internal & external.

Coverage

Approx. 80 sft./ 20 kg. bag using 2 mm. slurry.

Adhesive thickness

2 to 6 mm



Walnut®
create bonds, forever

Lite
BLOCK

- Norms: **EN**
- Color: **Grey**
- Packaging: **40kg**

Wallnut Lite Block adhesive is an Eco friendly, light weight, polymer modified, mineral based ready to use material in powder form used for fixing of all kind of AAC (Autoclaved Aerated Concrete) blocks, concrete blocks and other absorbent bricks. Suitable for internal & external.

Coverage

Approx. 140 sft. / 40 kg. bag using
2-3 mm. of thick.

Adhesive thickness

2 to 6 mm.



ZEOCLEAN Series



- Color: **Color Liquid**
- Packaging: **1Lt., 5Lt.**



TILE CLEANER

Zeoclean Power Tile Cleaner is an ideal powerful tile cleaner for daily and often use. It is based on a high-quality formulation to clean the surface of tiles, sandstone or concrete to remove the dirt, soil, salt deposits, mud, different stain & other particles completely. Suitable for internal & external areas on the floor and walls.

Dilution with water

the cleaner can be diluted from 1:1 to 1:10 or more with normal water



Zeoclean Advance

26

- Color: **Color Liquid**
- Packaging: **1Lt., 5Lt.**



**HEAVY DUTY
TILE CLEANER**

Zeoclean Advance Tile Cleaner is a high concentrated solutions for high stained surfaces. It is based on high quality formulation to clean cement or cement-based adhesive / grout layer, hard stain, salt deposit and other heavy particle from the surface of tiles, concrete, or cement completely. Suitable for internal & external areas on floor and on wall.

Dilution with water

the cleaner can be diluted from 1:1 to 1:10 or more with normal water



Zeoclean Dayna

27

- Color: **Transparent Liquid**
- Packaging: **500 MI. Spray Bottle, 1Lt., 5Lt.**



**TAP &
SANITARY CLEANER**

Zeoclean Dayna is an advance, powerful tap & sanitary cleaner for daily use. It is based on a high-quality advanced formulation to clean hard deposits of water, salt & grime. The surface of CP fittings in chrome and other finishes, showers and sanitary which include basins, bathtubs, seat covers etc. Suitable for all areas where CP fittings and sanitary are in use.

Mixing

No Mixing, Use Pure Only

Dilution with Water

No Dilution, Use Pure Only



Zeoclean Marmo

28

- Color: **White**
- Packaging: **1Lt., 5Lt.**




MARBLE & GRANITE CLEANER

Zeoclean Marmo is a very effective neutral Stone Cleaner for daily and often use. It is based on a high-quality formulation to clean the surface of delicate stones such as polished marble & granite or similar stone to remove dirt, grime, soil stain, and salt deposits & removing the dirt stain completely deposits & another particle completely. Suitable for internal & external areas on the floor and on walls.

Dilution with water

For half bucket 2 to 3 caps



Zeoclean Max

29

- Color: **White**
- Packaging: **1Lt., 5Lt.**



EPOXY FILM REMOVER

Zeoclean Max Epoxy Film Remover is a high-performance cleaner for daily use on the job site during and post work completion of various epoxy products. It is based on a high-quality formulation to clean the haze or film from the surface of tiles, stone, concrete of Epoxy paint, Epoxy coating, Epoxy grouting or similar other Epoxy / PU-based products. Suitable for internal & external areas.

Mixing

No Mixing

Dilution with water

No Dilution






TOOLS FOR APPLICATION



Trowel for Glass Mosaic adhesive



Trowel for tile & stone adhesive



Cleaning Sponge for grouts



Rubber float applicator for polymer & epoxy grout



Spacers for tiles & stone joints
[2mm, 3mm, 4mm, 5mm, 8mm & 10mm]



- Recycled raw material used.
- VOC (Very low Organic Compounds).
- 100% suitable to recycle after expiry.
- Suitable for all kind of green and normal buildings.

Corporate Address


IJMIMA, 806, Off Link Road, Behind Goregaon Sports Club, Malad West,
Mumbai – 400064 | CIN : U36999MH2017PTC289638

+91 22 49713322 | +91 9967007783
info@walnut.co.in | www.walnut.co.in

Walnut[®]
create bonds, forever

Products, Offers, Stores, Events,
Coupons, Application Videos, and
much more..

DOWNLOAD OUR NEWLY LAUNCHED MOBILE APP



Walnut Building Solution India Pvt. Ltd.

www.wallnut.co.in | info@wallnut.co.in